CLINICAL RECOVERY PARTNERS

CLINICAL EXPERTISE. A MORE CONFIDENT TOMORROW.

A Boost Home Healthcare Company

Beyond the Operating Room

A National Framework for Post-Operative Cosmetic Surgery Recovery

A practical clinical and operating perspective on continuity after cosmetic surgery - with emphasis on surgeon handoff, licensed skilled nursing, 24-hour home health aide support when arranged, medication safety, incision and drain support within scope, destination-patient planning, escalation, and the recovery environment.

CLINICAL	STRUCTURED	DISCREET
Surgeon-directed care	Defined roles, documentation & escalation	Private-pay recovery support

WHITEPAPER | SEPTEMBER 2026

clinicalrecoverypartners.com

EXECUTIVE BRIEF

Recovery is a clinical transition - not an afterthought.

Cosmetic surgery increasingly takes place in outpatient and ambulatory settings. A patient can move from a tightly controlled perioperative environment to a home, hotel or private residence within hours. The operation may be complete, but the care plan is still active: medications, positioning, mobility assistance, compression, drains or dressings, hydration, nausea, pain, sleep, transportation and follow-up all require coordination.

Clinical Recovery Partners (CRP), a Boost Home Healthcare company, is designed to extend the surgeon-directed postoperative plan into the patient's selected recovery setting. The model combines licensed skilled nursing when ordered and clinically indicated, 24-hour home health aide support when continuous non-skilled assistance is appropriate, caregiver education, documented communication and concierge coordination around the care plan. CRP does not replace the operating surgeon, emergency services or inpatient care.

Operating principle

Luxury can describe the experience. Clinical governance must describe the service.

Why this matters now

The American Society of Plastic Surgeons reported that cosmetic surgical procedure volume increased 7% in 2025. Liposuction remained the most frequently performed cosmetic operation at 317,196 procedures; breast augmentation and implant revision reached 304,234; and abdominoplasty reached 173,251. ASPS also reported that 82% of member surgeons received consultation requests related to GLP-1 use, reflecting continued demand for body-contouring and lift procedures after significant weight loss.[1]

Travel adds another layer. Patients may cross state lines or fly to a destination surgeon and recover away from their usual support systems. ASPS guidance for patients traveling for surgery emphasizes advance planning for routine follow-up, unexpected postoperative needs, transportation and the practical ability to remain near or return to the operating practice.[2]

The CRP model in one view

Principle	What it means
Surgeon-directed	The operating surgeon's orders remain the clinical anchor.
Role clarity	Nursing, home health aide, caregiver and concierge responsibilities are defined before care begins.
Matched support	Caregiver-supported skilled visits and 24-hour aide coverage are selected according to assessed need, orders and the recovery setting.
Structured communication	Important changes are documented and communicated through a known surgeon/on-call pathway.
Prepared setting	Home, hotel or other private recovery environments are assessed for practical readiness.

INDUSTRY CONTEXT

A growing aesthetic market meets a less standardized recovery environment.

The cosmetic-surgery field has invested heavily in surgical technique, anesthesia, facility standards, patient selection and the operating-room experience. Recovery after discharge is more variable. Patients may rely on a spouse, friend, hotel companion, paid caregiver, home health aide, private-duty clinician or some combination. The central question is not whether support is available, but whether each person understands the plan, stays within role, and knows how to escalate concerns.

Six pressure points shaping post-op recovery

Industry pressure point	Operational implication
1. Fragmented handoff	Orders, medication lists, restrictions, drain instructions and follow-up contacts may arrive through multiple channels rather than one usable handoff.
2. Variable caregiver capability	A willing family member may not be physically or practically prepared for toileting, mobility assistance, medication organization, drain observation or warning signs.
3. Role confusion	Terms such as “24-hour care,” “private nurse,” “aide,” “recovery house” and “concierge” can suggest very different staffing models and scopes of practice.
4. Medication complexity	Post-op regimens may combine analgesics, antiemetics, antibiotics and chronic medications, making reconciliation and clear instructions important at transition.
5. Destination recovery	Patients recovering away from home can be separated from their surgeon, pharmacy, usual clinician and support network while also managing transportation and lodging.
6. State-by-state regulation	Licensure, aide definitions, delegation, documentation and facility terminology differ across jurisdictions. A national philosophy still requires local compliance.

When continuity breaks down

Published literature on aesthetic surgery tourism offers a useful view of failure points. A systematic review of 214 U.S.-treated patients who presented with complications after aesthetic surgery abroad found infection to be the most frequently reported complication, with many patients requiring prolonged treatment, hospitalization or additional procedures. These data describe a selected population already experiencing complications and should not be treated as an overall complication rate. Their value is different: they show how difficult aftercare can become when continuity is limited.[3]

The broader lesson applies to domestic cosmetic surgery as well: the recovery phase works best when it is designed before discharge rather than improvised after the patient leaves the facility.

TRANSITION OF CARE

The handoff should be a clinical process, not a text-message chain.

A reliable recovery model begins before the patient leaves the surgical facility. The recovery team needs enough information to understand what was done, what the surgeon expects, what is normal for this patient and procedure, and how to reach the practice when something changes. CRP's referral flow - Refer, Assess, Coordinate, Recover - is most effective when the clinical handoff is complete before the first recovery visit.

Minimum recovery handoff

Information to receive	Why it matters
Procedure(s), operative date/time and discharge status	Establishes context for the early recovery period and the expected level of support.
Postoperative orders and activity/positioning restrictions	Keeps the recovery plan aligned with the operating surgeon.
Medication list, allergies and new prescriptions	Supports medication reconciliation and reduces ambiguity at transition.
Incision, dressing, drain and garment instructions	Clarifies what may be observed or assisted with, by whom, and when the surgeon wants to be contacted.
Follow-up appointment and surgeon/on-call pathway	Creates a defined route for routine questions, urgent concerns and escalation.
Procedure-specific warning signs or escalation instructions	Prevents the recovery team from relying on one generic threshold for every patient or procedure.

Operating boundary

CRP extends the postoperative plan. It does not replace the operating surgeon, emergency medical services, an emergency department or inpatient hospital care.

Medication reconciliation belongs in the transition

Medication support is more than reminders. A current medication list should be compared with the postoperative regimen so discrepancies can be identified, clarified and documented. Joint Commission home-care guidance emphasizes medication reconciliation and review of the patient's medication list, particularly during transitions of care.[4]

Document what changed

Documentation should be proportionate to the episode, but clinically relevant changes need a record: new or worsening symptoms, escalating pain or nausea, medication concerns, incision or drain changes, difficulty with oral intake, mobility problems, falls, caregiver limitations, or any event that triggers contact with the surgical team. The objective is a usable clinical record and a reliable handoff - not paperwork for its own sake.

EARLY POST-OPERATIVE PRIORITIES

A credible recovery standard separates clinical judgment from supportive presence.

A facelift patient, a multi-procedure body-contouring patient and a patient recovering after breast surgery do not share identical restrictions or risk profiles. Public-facing language is strongest when it describes the domains CRP monitors and supports, while leaving procedure-specific thresholds to surgeon orders and individualized clinical judgment.

Clinical domains and role boundaries

Domain	Skilled clinical function	Home health aide / support function
Respiratory / circulation	Licensed nursing: assessment, clinically appropriate vital signs and symptom evaluation.	HHA/support: observation, positioning help and prompt reporting of concerning changes.
Pain, nausea, hydration	Licensed nursing: assess response to the ordered regimen and escalate unresolved concerns.	HHA/support: comfort measures, hydration/meal support and observation within the plan.
Medication safety	Licensed nursing: reconciliation, education and medication-related assessment within scope and orders.	HHA/support: reminders or assistance only as permitted by the care plan, policy and applicable scope.
Incisions / dressings / drains	Licensed nursing: observation and ordered skilled care within scope; documentation of changes.	HHA/support: protect the site, support positioning and promptly report changes; no independent wound or drain treatment.
Mobility / fall risk	Licensed nursing: assess functional status and reinforce ordered restrictions.	HHA/support: non-therapeutic assistance with transfers, ambulation, toileting and fall precautions.
Positioning / garments	Licensed nursing: reinforce surgeon-specific instructions and address concerns within scope.	HHA/support: practical assistance with positioning and garments according to the plan.
Communication / escalation	Licensed nursing: clinical communication, documentation and escalation.	HHA/support: notify the supervising clinician of changes; activate emergency services when directed or clearly necessary.

Infection prevention is part of the clinical product

CDC core infection-prevention practices apply across healthcare settings, including care delivered in homes and other nontraditional locations. Core practices include hand hygiene, appropriate personal protective equipment, environmental cleaning and disinfection, medication safety and correct handling of reusable equipment. For CRP, those fundamentals belong in staff orientation, supplies, policies and quality review - not behind hospitality language.[5]

Describe the system, not a guarantee

A premium recovery service can be specific without promising outcomes. The most defensible language explains the system: surgeon-directed orders, matched staffing, structured observation, medication reconciliation, infection-prevention practices, documentation and defined escalation. Claims such as “prevents complications” or “guarantees a safer recovery” overstate what any post-operative service can promise.

DESTINATION & HIGHER-COMPLEXITY RECOVERY

Travel changes the recovery equation.

Travel for cosmetic surgery is not limited to international medical tourism. Patients may cross state lines to see a particular surgeon, obtain a specific procedure or recover privately away from home. Distance can make routine follow-up more complicated when the patient cannot easily return to the operating practice or does not have an experienced local caregiver.

ASPS guidance for patients traveling for surgery emphasizes planning for routine and unexpected postoperative care before the procedure. It also notes practical barriers - transportation, lodging, time off and family responsibilities - that can affect whether a patient can remain near the surgical practice or return for follow-up.[2]

A destination-recovery plan should answer five questions

	Planning question
1	Where will the patient recover, and is the setting appropriate for the expected mobility, privacy and care needs?
2	Who is responsible for skilled clinical care, who provides home health aide support, and who handles hospitality or logistics?
3	How will the operating surgeon or on-call team be reached, including after hours?
4	When is the patient expected to return for follow-up, and what is the transportation plan?
5	What is the plan if symptoms require urgent assessment or emergency care before the patient returns home?

BBL / gluteal fat grafting

Gluteal fat grafting warrants separate, safety-focused education. A joint safety statement from ASPS, The Plastic Surgery Foundation, The Aesthetic Society and ASERF describes the procedure as carrying significant risk relative to other elective aesthetic procedures and emphasizes surgeon involvement in postoperative care and complication management.[6]

CRP approach for BBL recovery

Follow the surgeon-specific plan for positioning, mobility assistance, medications, hydration, garments, incision/drain support, follow-up and escalation. CRP does not publish one set of generic BBL thresholds that overrides the operating surgeon's instructions.

Multi-procedure and post-weight-loss recovery

Combined body-contouring procedures and the growth in lift procedures after significant weight loss can increase the practical demands of recovery: positioning, garment management, toileting, hydration, transportation and caregiver stamina. The service level should be based on the actual procedure mix, orders, functional status and available support - not on a package label.

SERVICE DESIGN & ROLE CLARITY

Match the level of support to the patient - and name the role honestly.

CRP distinguishes caregiver-supported clinical visits from round-the-clock recovery support. In this framework, 24-hour onsite support can be provided through home health aide coverage when appropriate, while skilled nursing is delivered according to practitioner orders, assessed need, scope of practice and agency policy. Twenty-four-hour aide coverage is not the same as 24-hour RN presence.

CRP service pathways

Service model	Typical use	Key boundary
Caregiver-supported skilled nursing visits	Periodic licensed assessment, treatment, education and follow-up when a capable adult remains with the patient between visits.	Requires a suitable recovery setting and a caregiver who can safely carry the nonclinical responsibilities assigned in the plan.
24-hour onsite home health aide support	Around-the-clock non-skilled presence for personal care, toileting, hydration, meals, positioning assistance, mobility support, observation and comfort needs.	Aides do not independently perform skilled nursing assessment or treatment. Skilled nursing is added according to orders and clinical need.
Extended / additional skilled nursing	Longer or more frequent licensed nursing coverage when the patient's ordered care or condition requires more clinical attention.	Frequency and duration are driven by the plan of care, assessment, scope and applicable law - not by marketing terminology.
Concierge coordination	Transportation, lodging coordination, recovery supplies, garments, meal/hydration logistics and practical errands.	Hospitality and logistics surround the clinical plan; they do not substitute for healthcare or emergency services.

Caregiver and recovery-setting readiness

A caregiver should be evaluated for capability, not simply availability. The plan should consider whether the person can remain present for the expected period, assist safely with basic mobility and toileting, follow instructions, support the medication routine within their role, recognize concerning changes and know whom to call. The recovery environment should be reviewed for sleeping/reclining arrangements, bathroom access, stairs and fall hazards, lighting, hygiene, supplies, food and hydration, transportation and proximity to follow-up care.

Nevada operating context

CRP operates through a Nevada home-health framework. Nevada defines a home health aide as a nursing assistant, requires home-health orders to be specific about the level of care and service provided, and identifies skilled nursing and home health aide care, nutritional needs, permitted activity and dressings among items that may be included in the treatment record and orders. That local structure reinforces the importance of clear role descriptions and documented orders. Expansion into other states requires the same discipline against each jurisdiction's rules.[8]

QUALITY & INDUSTRY PRIORITIES

A credible recovery brand can show how quality is managed.

Clinical quality should be operational, measurable and reviewable. The purpose is not to collect data for its own sake. It is to know whether handoffs are complete, the correct role is assigned, important changes are communicated, documentation is usable, the recovery environment supports the plan, and patients and referral partners experience consistent service.

A practical CRP quality dashboard

Measure	What it tells leadership
Handoff completeness	Were procedure details, orders, medication information, restrictions, surgeon contacts and follow-up plans received before care began?
Medication reconciliation	Was the postoperative medication picture clarified and documented at transition?
Staffing match	Did the episode begin with the appropriate mix of skilled nursing, aide coverage and caregiver support?
Documentation timeliness	Were assessments, aide observations, communications and changes recorded promptly and in the appropriate record?
Escalation events	What triggered surgeon contact or emergency activation, and did the escalation pathway function as intended?
Care-plan changes	How often did the service level or staffing pattern require adjustment after care began, and why?
Patient / caregiver experience	Were expectations, education, privacy, cultural preferences and support needs addressed clearly?
Referral-partner experience	Do surgeons and surgical centers view CRP as responsive, clinically useful and easy to work with?

Nationwide focus areas for post-op cosmetic recovery

1. Use consistent terminology for skilled nursing, home health aide support, caregiver-supported recovery, continuous coverage and concierge services.
2. Make credentials, supervision and scope boundaries visible to patients and referral partners.
3. Adopt a minimum postoperative handoff dataset for patients transitioning into home, hotel or private-residence recovery.
4. Build destination-patient continuity into the plan before surgery, not after the patient has traveled.
5. Strengthen medication reconciliation and infection-prevention discipline wherever healthcare is delivered.
6. Measure quality with process, communication and experience data rather than testimonials alone.
7. Use state-by-state compliance architecture as the company expands, including licensure, aide definitions, delegation, documentation and facility terminology.

What top-tier should mean

Not more luxury language. More clarity: who is responsible, what is monitored, what is documented, how the surgeon stays connected, what the aide or caregiver is expected to do, and what happens when the patient needs a higher level of care.

CONCLUSION

The surgery ends. The recovery standard should continue.

Cosmetic surgery recovery is an increasingly visible part of the patient journey. The industry does not need one universal protocol, and it should not blur the responsibilities of the surgeon, nurse, home health aide, family caregiver and concierge team. It needs a more reliable way to carry the surgeon-directed plan from discharge into the setting where the patient will actually recover.

Clinical Recovery Partners occupies that space by pairing appropriately licensed skilled nursing with 24-hour home health aide support when arranged, caregiver education, documented communication and escalation, and concierge coordination that makes the recovery environment more workable. The differentiator is not simply comfort. It is continuity - with the operating surgeon's plan remaining at the center.

Your plan. Our presence. Recovery, elevated.

Clinical Recovery Partners | A Boost Home Healthcare Company | clinicalrecoverypartners.com

Selected references

[1] American Society of Plastic Surgeons. 2025 Plastic Surgery Statistics Report and 2025 procedural summary. https://www.plasticsurgery.org/plastic-surgery-statistics

[2] American Society of Plastic Surgeons. Appropriate Care of Patients Traveling for Surgery. Practice Reference, issued September 19, 2024. https://www.plasticsurgery.org/documents/health-policy/resources/2024-appropriate-care-of-patients-traveling-for-surgery.pdf

[3] McAuliffe PB, Muss TEL, Desai AA, et al. Complications of Aesthetic Surgical Tourism Treated in the USA: A Systematic Review. Aesthetic Plastic Surgery. 2023;47:455-464. https://pmc.ncbi.nlm.nih.gov/articles/PMC9619012/

[4] The Joint Commission. Limited Scope of Service - Medication Reconciliation Requirements. Home Care Standards FAQ. First published October 2, 2025. https://www.jointcommission.org/en-us/knowledge-library/support-center/standards-interpretation/standards-faqs/000001207

[5] Centers for Disease Control and Prevention. Core Infection Prevention and Control Practices for Safe Healthcare Delivery in All Settings. Updated April 12, 2024. https://www.cdc.gov/infection-control/hcp/core-practices/

[6] American Society of Plastic Surgeons, The Plastic Surgery Foundation, The Aesthetic Society and ASERF. Gluteal Fat Grafting: A Joint Safety Statement. August 18, 2022. https://www.plasticsurgery.org/for-medical-professionals/publications/psn-extra/news/gluteal-fat-grafting-a-joint-safety-statement

[7] Centers for Medicare & Medicaid Services. Home Health Agencies - Conditions of Participation and interpretive guidance. https://www.cms.gov/medicare/health-safety-standards/guidance-for-laws-regulations/home-health-agencies

[8] State of Nevada. NRS Chapter 449 and NAC 449.749-449.800, Home Health Agencies, including home health aide definitions, personnel standards, orders and clinical records. https://www.leg.state.nv.us/NRS/NRS-449.html and https://www.leg.state.nv.us/NAC/NAC-449.html

Advisory note

This whitepaper is an educational and operational framework. It does not establish a medical standard of care, replace individualized clinical judgment or surgeon orders, or provide legal advice. Clinical protocols, staffing, scope-of-practice language, home-health requirements, facility terminology, privacy practices and marketing claims should be validated against CRP's actual operations and the laws of each jurisdiction in which services are delivered.